



THE STATE
of **ALASKA**
GOVERNOR BILL WALKER

Department of Natural Resources

DIVISION OF MINING, LAND & WATER
Southcentral Regional Office

550 West 7th Avenue, Suite 900C
Anchorage, Alaska 99501-3577
Main: 907.269.8503
TDD: 907.269.8411
Fax: 907.269.8913

December 12, 2017

State of Alaska
Department of Natural Resources
Division of Mining, Land, and Water
Southcentral Regional Office
550 W. 7th Avenue, Suite 900C
Anchorage, AK 99501-3577

Public Notice

ADL 56109: Public Utilities easement and Public Access easement, Asplund Wastewater Treatment Facility Effluent Tower, Point Woronzof.

Applicant: Anchorage Water & Wastewater Utility, Engineering Division

Pursuant to Alaska Statue 38.05.850, the Department of Natural Resources (DNR), Division of Mining, Land, and Water (DMLW), Southcentral Regional Office is considering a request from Anchorage Water & Wastewater Utility Engineering Division to amend an existing Public Utility Easement for the Asplund Wastewater Treatment Facility Effluent Tower and pipeline to include an erosion control structure. The purpose of this erosion control structure is to protect the existing Effluent Tower. The proposed easement is to be located on State-owned, DMLW-managed tidelands within:


- Section 20 of Township 13 North, Range 4 West, Seward Meridian.

The dimensions of the proposed easement are approximately 120 feet in length, from mean high water to sea, 300 feet in width and would occupy approximately 0.83 acres of State land. The construction of the erosion control structure is proposed to consist of the placement of bedding and armor stone atop a geotextile material. As part of this project a six feet wide pedestrian walk way will be constructed to allow the public to cross the erosion control structure. The attached depiction shows the proposed easement is indicated in Attachment A. As part of the adjudication of this easement, DNR is considering the authorization of a public access easement, approximately 50 feet in width on state owned tide lands, around Point Woronzof within Sections 20 and 21 of Township 13 North, Range 4 West, Seward Meridian to facilitate future public access.

Members of the public and interested parties are invited to comment on this project. **DMLW must receive written comments no later than 5:00 pm January 12, 2017.** In order to be given full consideration, all comments should clearly explain the facts on which they are based and how they pertain to the proposed easement. Comments, questions, or requests for further information should be directed to the attention of Stuart Greenfield at the Southcentral Regional

Office, 550 W. 7th Ave, Suite 900C, Anchorage, Alaska 99501-3577; email stuart.greenfield@alaska.gov; telephone (907) 269-5035, fax (907) 269-8913. Please reference ADL 56109 when commenting. Following the comment deadline, all responses will be reviewed and the Department's decision on this matter may be modified as a result of information received.

The State of Alaska, Department of Natural Resources complies with Title II of the Americans with Disabilities Act of 1990. Individuals with disabilities who may need auxiliary aids, services, or special modifications to participate may contact the TDD number at (907) 269-8411. Copies of the Alaska Statute referenced above may be accessed on-line by searching the State of Alaska website at www.legis.state.ak.us/folhome.htm. The Division of Mining, Land, and Water, Southcentral Regional Office reserves the right to waive technical deficits in this notice.



Attachment A: Proposed Public Access Easement, ADL 56109, depicted in blue.