

Fairview Community Council
Draft East Chester Park Master Plan
Comments

1. Request the Plan include language echoing the desire of Fairview residents to:
 - a. When relocating Chester Creek to the south that a few of the tall trees along the existing creek alignment be retained for purposes of providing shade in an increasingly hot world.
 - b. Consider adding language similar to creek relocation to the tributary North Fork of the Chester Creek drainage which is currently confined to a ditch on the west side of Sitka Street.
 - c. Adding language noting a preference of local residents for installation of Birch at Woodside Park for their visual appeal and overall ambiance.
 - d. Adding language noting the desire of local residents for language emphasizing the importance of adequate seating elements as there are a significant number of senior citizens in the immediate area.
 - e. Emphasize the importance of ensuring the active areas include appropriately scaled lighting sufficient to make users feel safe, while respecting people's right to avoid light.
 - f. Include language noting the importance of clean and safe public toilet facilities in the areas of greatest use.
 - g. Add language noting the preference of local residents for consideration of multiple small shelters in addition to or replacement of the single large shelter.
2. Request consideration of the following general comments:
 - a. Fairview residents find the climbing wall-oriented improvements very popular with all ages of youth and support their inclusion in the Master Plan.
 - b. There is strong support for improvements to be considered in the larger context of being multi-generational. This means including specific items of interest all generations of Fairview residents. No generational segment should be ignored.